

IEEE Xplore[®]
RELEASE 2.1

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "((hash* <paragraph> lex* <paragraph> (maxim* <near> key*))<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

((hash* <paragraph> lex* <paragraph> (maxim* <near> key*))<in>metadata)



☐ Check to search only within this results set

» Key

Display Format:



Citation



Citation & Abstract



Indicates full text access

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by

Inspec[®]

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE



Reference (B4 Service) Reference (B4 Limited Service) 3/2006

Search: The ACM Digital Library The Guide

"searching string" + "lexical cache" + "length key" + "largest" +



THE ACM DIGITAL LIBRARY



Feedback Report a problem Satisfaction survey

Terms used searching string lexical cache length key largest entries

Found 2 of 158,639

Sort results by **relevance**
 Display results **expanded form**

 Save results to a Binder

 Search Tips

 Open results in a new window

Try an [Advanced Search](#)
Try this search in [The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale

¹ On sorting strings in external memory (extended abstract)

Lars Arge, Paolo Ferragina, Roberto Grossi, Jeffrey Scott Vitter
May 1997 **Proceedings of the twenty-ninth annual ACM s**

Proceedings of the twenty-ninth annual ACM symposium on Theory of computing

Full text available: pdf (1.38 MB)

Additional Information: full citation, references, citings, index terms

² 1 - Regular Articles: Cache-conscious sorting of large sets of strings with dynamic tries

Ranjan Sinha, Justin Zobel

December 2004 **Journal of Experimental Algorithmics (JEA)**, Volume 9Full text available:  pdf (848.84 KB)

Additional Information: full citation, abstract, references, index terms


Ongoing changes in computer architecture are affecting the efficiency of string-sorting algorithms. The size of main memory in typical computers continues to grow but memory accesses require increasing numbers of instruction cycles, which is a problem for the most efficient of the existing string-sorting algorithms as they do not utilize cache well for large data sets. We propose a new sorting algorithm for strings, burstsort, based on dynamic construction of a compact trie in which strings are ...

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



USPTO

[Home](#) [About](#) [Contact](#) [Help](#)

Search: ☐ The ACM Digital Library ☐ The Guide

"searching string" + "lexical cache" + "length key" + "maximum entries"

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)


Terms used: [searching string](#) [lexical cache](#) [length key](#) [maximum entries](#)
Found 2 of 158,639


Sort results by:

relevance

 Display results:

expanded form


[Save results to a Binder](#)


[Search Tips](#)

☐
[Open results in a new window](#)

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

¹ [On sorting strings in external memory \(extended abstract\)](#)

Lars Arge, Paolo Ferragina, Roberto Grossi, Jeffrey Scott Vitter
 May 1997 **Proceedings of the twenty-ninth annual ACM symposium on Theory of computing**

Full text available:  pdf (1.38 MB)

Additional Information: [full citation](#), [references](#), [citing](#), [index terms](#)

² [1 - Regular Articles: Cache-conscious sorting of large sets of strings with dynamic tries](#)

Ranjan Sinha, Justin Zobel
 December 2004 **Journal of Experimental Algorithmics (JEA)**, Volume 9

Full text available:  pdf (949.04 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Ongoing changes in computer architecture are affecting the efficiency of string-sorting algorithms. The size of main memory in typical computers continues to grow but memory accesses require increasing numbers of instruction cycles, which is a problem for the most efficient of the existing string-sorting algorithms as they do not utilize cache well for large data sets. We propose a new sorting algorithm for strings, burstersort, based on dynamic construction of a compact trie in which strings are ...

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)